

Lighting innovation for people.





The innovative optic combines aesthetic and performance functions, embellishing the ceiling and the setting, as well ensuring excellent visual comfort and lighting efficiency.

Up to **155** lm/W



Design

Essential form and rich aesthetics



The essential, linear form combines with an impressive aesthetic finish where light creates a magical play of reflections. The frame gathers the light emitted by the reflector and spreads it over the ceiling, thereby combining decor and function for even better spatial perception. The rounded corner refines the outline to achieve a more fluid, soft and reassuring appearance

recalling the harmony of natural elements Softer colours shaded by the transparency of the optics to enhance depth and prestige. The two finishes add character to the setting while always being elegant and neutral. Maximum compactness ensuring minimal use of material, thereby facilitating sustainability and installation flexibility, even with small false ceilings.








The right light

Optical flexibility and smart management.




Version ensuring excellent efficiency and visual comfort, with **UGR<19.**

Version with **Oval** distribution ideal for narrow settings, such as corridors.



Crystal highlights the three-dimensional nature of space through light, setting luminance levels over various levels and ensuring excellent visual comfort. These extraordinary optical capabilities are the outcome of innovative and patented Opti Diamond optical technology available with four different light emission solutions to optimize lighting as needed. Distribution with UGR <19, oval distribution, general lighting and wall washer - to offer optical and applicational multiplicity. In addition, Crystal can use the

Dali-Bluetooth interface to program and manage light in a smart manner, simply using the Smart Light Control App that can be downloaded to any device. Lastly, thanks to the built-in beacons, it is possible to send digital information, such as push notifications, or enable indoor navigation, directly on smartphones, as well as collect data for space management. All these solutions are available with two finishes to ensure maximum visual and aesthetic integration.



The **general lighting** version for uniform lighting of spaces.

The **Wall Washer** version to direct light predominantly in the vertical plane.




Designed to be sustainable

Minimised consumption of energy and recycled, recyclable and long-lasting materials.








More than 90% of the environmental impact of a lighting fixture derives * from its use. Crystal achieves exceptional lighting efficiency values, of up to 155 lm/W, through variable management of the luminous flux. It is precisely through responsible use of light that the environmental impact of a lighting fixture can be significantly reduced. Crystal is also made using materials that are 100% recyclable and, where possible, themselves recycled in optimal percentages, i.e. without affecting performance

- which, as already mentioned, is the aspect that most affects environmental impact. Electricity consumption to produce Crystal is also significantly reduced thanks to the construction and use a large photovoltaic system (about 7,000 solar panels) which has met more than 20% of our needs since 2011 in our Recanati factory, while also avoiding the release if 878,50 tonnes/year of equivalent CO2 into the atmosphere**.

- 1. Aluminium body (76.2% recycled, 100% recyclable)
- 2. Die-cast moulded zamak caps (95% recycled, 100% recyclable),
- 3. Steel wire springs (100% recyclable).
- Optic in PMMA (100% recyclable), Cover in PET (85% recycled; 100% recyclable) Raster in PMMA (100% recyclable)





- * data may differ from country to country in relation to the energy mix adopted.
- ** Data from the GHG report developed for our Recanati Plant in 2022.

OverviewCrystal

UGR < 19 / Oval / General lighting

196 x 76 mm

8,5W - 1355 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90





376 x 76 mm

20W - 2741 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90



556 x 76 mm

29W - 4120 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90



Wall Washer

196 x 76 mm

9 W - 805 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90





376 x 76 mm

15 W - 1605 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90



556 x 76 mm

22,5 W - 2400 lm

3000K/3500K/4000K CRI 90/CRI80 Tunable white CRI90



