


MALL LED

Continuous Line and Batten Luminaires



Images for the product family and options:




Description: Suspended continuous line LED luminaire
 Light distribution: direct
 Optical system: lenses
 Housing: steel
 Colour: white (RAL9003)

General data: Mains voltage: 220-240V, 0/50-60Hz
 LED lifetime, h: 100000/L80B50
 SDCM: 3
 Protection class IEC: I
 Ingress protection code: IP20
 Mechanical impact resistance: IK05
 Operating temperature range, °C: ta 0...+40 (0... +35 for models E967, E989, E990, E994, E995)

Installation: Suspended (brackets and I-join kit included with each luminaire). Through wired, 5x1.5mm², two 5-pole plug and socket connectors

Environment: Indoor

Application: Retail, hall, public place





Mall LED luminaire

A continuous line LED luminaire with various optics, quick and tool-free mounting to cut installation cost to the minimum
 Optics: 30°, 40x75°, 75°, 75° wide, 90° wide, asymmetric and double asymmetric light beam
 Body and end caps: steel sheet, white finish
 Luminaire with an option L or LL is designed for in-line connection

Product	Length, mm	Width, mm	Height, mm	Luminaire output, lm	System power, W	System efficacy, lm/W	CRI	CCT, K	Weight, kg
Mall LED1x3300 E963 T830 L30 LO1 LL	1133	65	60	3099	18,4	168	80+	3000	3,15
Mall LED1x4350 E964 T830 L30 LO2 LL	1133	65	60	4038	24,8	163	80+	3000	3,15
Mall LED1x5300 E965 T830 L30 LO3 LL	1133	65	60	4938	30,6	161	80+	3000	3,15
Mall LED1x5550 G648 T830 L30 LO4 LL	1133	65	60	5185	29,7	175	80+	3000	3,15
Mall LED1x6600 E966 T830 L30 LO5 LL	1133	65	60	6166	35,5	173	80+	3000	3,15
Mall LED1x7600 E967 T830 L30 LO6 LL	1133	65	60	7092	41,6	170	80+	3000	3,15
Mall LED1x4150 E986 T830 L30 LO1 LL	1414	65	60	3873	23	168	80+	3000	3,65
Mall LED1x5400 E987 T830 L30 LO2 LL	1414	65	60	5047	30,3	166	80+	3000	3,65
Mall LED1x6600 E988 T830 L30 LO3 LL	1414	65	60	6173	37,9	163	80+	3000	3,65
Mall LED1x6950 G649 T830 L30 LO4 LL	1414	65	60	6482	37,1	175	80+	3000	3,65
Mall LED1x8250 E989 T830 L30 LO5 LL	1414	65	60	7706	44,4	173	80+	3000	3,65
Mall LED1x9450 E990 T830 L30 LO6 LL	1414	65	60	8864	52,1	170	80+	3000	3,65
Mall LED1x8300 E991 T830 L30 LO1 LL	2829	65	60	7746	44,5	174	80+	3000	6,85
Mall LED1x10800 E992 T830 L30 LO2 LL	2829	65	60	10095	59,4	170	80+	3000	6,85
Mall LED1x13150 E993 T830 L30 LO3 LL	2829	65	60	12345	75	165	80+	3000	6,85
Mall LED1x13850 G650 T830 L30 LO4 LL	2829	65	60	12963	71,9	180	80+	3000	6,85
Mall LED1x16450 E994 T830 L30 LO5 LL	2829	65	60	15414	87,9	175	80+	3000	6,85
Mall LED1x18900 E995 T830 L30 LO6 LL	2829	65	60	17730	103	172	80+	3000	6,85
Mall LED1x3300 E963 T840 L30 LO1 LL	1133	65	60	3266	18,4	177	80+	4000	3,15
Mall LED1x4350 E964 T840 L30 LO2 LL	1133	65	60	4256	24,8	171	80+	4000	3,15
Mall LED1x5300 E965 T840 L30 LO3 LL	1133	65	60	5205	30,6	170	80+	4000	3,15
Mall LED1x5550 G648 T840 L30 LO4 LL	1133	65	60	5465	29,7	184	80+	4000	3,15
Mall LED1x6600 E966 T840 L30 LO5 LL	1133	65	60	6499	35,5	183	80+	4000	3,15
Mall LED1x7600 E967 T840 L30 LO6 LL	1133	65	60	7476	41,6	180	80+	4000	3,15
Mall LED1x4150 E986 T840 L30 LO1 LL	1414	65	60	4082	23	177	80+	4000	3,65
Mall LED1x5400 E987 T840 L30 LO2 LL	1414	65	60	5320	30,3	175	80+	4000	3,65
Mall LED1x6600 E988 T840 L30 LO3 LL	1414	65	60	6507	37,9	172	80+	4000	3,65
Mall LED1x6950 G649 T840 L30 LO4 LL	1414	65	60	6831	37,1	184	80+	4000	3,65
Mall LED1x8250 E989 T840 L30 LO5 LL	1414	65	60	8123	44,4	183	80+	4000	3,65
Mall LED1x9450 E990 T840 L30 LO6 LL	1414	65	60	9344	52,1	179	80+	4000	3,65
Mall LED1x8300 E991 T840 L30 LO1 LL	2829	65	60	8165	44,5	183	80+	4000	6,85
Mall LED1x10800 E992 T840 L30 LO2 LL	2829	65	60	10641	59,4	179	80+	4000	6,85
Mall LED1x13150 E993 T840 L30 LO3 LL	2829	65	60	13013	75	174	80+	4000	6,85
Mall LED1x13850 G650 T840 L30 LO4 LL	2829	65	60	13664	71,9	190	80+	4000	6,85
Mall LED1x16450 E994 T840 L30 LO5 LL	2829	65	60	16247	87,9	185	80+	4000	6,85
Mall LED1x18900 E995 T840 L30 LO6 LL	2829	65	60	18687	103	181	80+	4000	6,85
Mall LED1x3300 E963 T830 L40x75 LO1 LL	1133	65	60	3099	18,4	168	80+	3000	3,15
Mall LED1x4350 E964 T830 L40x75 LO2 LL	1133	65	60	4038	24,8	163	80+	3000	3,15
Mall LED1x5300 E965 T830 L40x75 LO3 LL	1133	65	60	4938	30,6	161	80+	3000	3,15
Mall LED1x5550 G648 T830 L40x75 LO4 LL	1133	65	60	5185	29,7	175	80+	3000	3,15
Mall LED1x6600 E966 T830 L40x75 LO5 LL	1133	65	60	6166	35,5	173	80+	3000	3,15
Mall LED1x7600 E967 T830 L40x75 LO6 LL	1133	65	60	7092	41,6	170	80+	3000	3,15
Mall LED1x4150 E986 T830 L40x75 LO1 LL	1414	65	60	3873	23	168	80+	3000	3,65
Mall LED1x5400 E987 T830 L40x75 LO2 LL	1414	65	60	5047	30,3	166	80+	3000	3,65
Mall LED1x6600 E988 T830 L40x75 LO3 LL	1414	65	60	6173	37,9	163	80+	3000	3,65
Mall LED1x6950 G649 T830 L40x75 LO4 LL	1414	65	60	6482	37,1	175	80+	3000	3,65
Mall LED1x8250 E989 T830 L40x75 LO5 LL	1414	65	60	7706	44,4	173	80+	3000	3,65
Mall LED1x9450 E990 T830 L40x75 LO6 LL	1414	65	60	8864	52,1	170	80+	3000	3,65
Mall LED1x8300 E991 T830 L40x75 LO1 LL	2829	65	60	7746	44,5	174	80+	3000	6,85
Mall LED1x10800 E992 T830 L40x75 LO2 LL	2829	65	60	10095	59,4	170	80+	3000	6,85
Mall LED1x13150 E993 T830 L40x75 LO3 LL	2829	65	60	12345	75	165	80+	3000	6,85
Mall LED1x13850 G650 T830 L40x75 LO4 LL	2829	65	60	12963	71,9	180	80+	3000	6,85
Mall LED1x16450 E994 T830 L40x75 LO5 LL	2829	65	60	15414	87,9	175	80+	3000	6,85
Mall LED1x18900 E995 T830 L40x75 LO6 LL	2829	65	60	17730	103	172	80+	3000	6,85
Mall LED1x3300 E963 T840 L40x75 LO1 LL	1133	65	60	3266	18,4	177	80+	4000	3,15
Mall LED1x4350 E964 T840 L40x75 LO2 LL	1133	65	60	4256	24,8	171	80+	4000	3,15
Mall LED1x5300 E965 T840 L40x75 LO3 LL	1133	65	60	5205	30,6	170	80+	4000	3,15
Mall LED1x5550 G648 T840 L40x75 LO4 LL	1133	65	60	5465	29,7	184	80+	4000	3,15
Mall LED1x6600 E966 T840 L40x75 LO5 LL	1133	65	60	6499	35,5	183	80+	4000	3,15
Mall LED1x7600 E967 T840 L40x75 LO6 LL	1133	65	60	7476	41,6	180	80+	4000	3,15
Mall LED1x4150 E986 T840 L40x75 LO1 LL	1414	65	60	4082	23	177	80+	4000	3,65
Mall LED1x5400 E987 T840 L40x75 LO2 LL	1414	65	60	5320	30,3	175	80+	4000	3,65
Mall LED1x6600 E988 T840 L40x75 LO3 LL	1414	65	60	6507	37,9	172	80+	4000	3,65
Mall LED1x6950 G649 T840 L40x75 LO4 LL	1414	65	60	6831	37,1	184	80+	4000	3,65
Mall LED1x8250 E989 T840 L40x75 LO5 LL	1414	65	60	8123	44,4	183	80+	4000	3,65
Mall LED1x9450 E990 T840 L40x75 LO6 LL	1414	65	60	9344	52,1	179	80+	4000	3,65
Mall LED1x8300 E991 T840 L40x75 LO1 LL	2829	65	60	8165	44,5	183	80+	4000	6,85
Mall LED1x10800 E992 T840 L40x75 LO2 LL	2829	65	60	10641	59,4	179	80+	4000	6,85
Mall LED1x13150 E993 T840 L40x75 LO3 LL	2829	65	60	13013	75	174	80+	4000	6,85
Mall LED1x13850 G650 T840 L40x75 LO4 LL	2829	65	60	13664	71,9	190	80+	4000	6,85
Mall LED1x16450 E994 T840 L40x75 LO5 LL	2829	65	60	16247	87,9	185	80+	4000	6,85

Product	Length, mm	Width, mm	Height, mm	Luminaire output , lm	System power , W	System efficacy , lm/W	CRI	CCT , K	Weight, kg
Mall LED1x18900 E995 T840 L40x75 LO6 LL	2829	65	60	18687	103	181	80+	4000	6,85
Mall LED1x3300 E963 T830 L75 LO1 LL	1133	65	60	3132	18,4	170	80+	3000	3,15
Mall LED1x4350 E964 T830 L75 LO2 LL	1133	65	60	4080	24,8	164	80+	3000	3,15
Mall LED1x5300 E965 T830 L75 LO3 LL	1133	65	60	4990	30,6	163	80+	3000	3,15
Mall LED1x5550 G648 T830 L75 LO4 LL	1133	65	60	5240	29,7	176	80+	3000	3,15
Mall LED1x6600 E966 T830 L75 LO5 LL	1133	65	60	6230	35,5	175	80+	3000	3,15
Mall LED1x7600 E967 T830 L75 LO6 LL	1133	65	60	7166	41,6	172	80+	3000	3,15
Mall LED1x4150 E986 T830 L75 LO1 LL	1414	65	60	3914	23	170	80+	3000	3,65
Mall LED1x5400 E987 T830 L75 LO2 LL	1414	65	60	5100	30,3	168	80+	3000	3,65
Mall LED1x6600 E988 T830 L75 LO3 LL	1414	65	60	6238	37,9	165	80+	3000	3,65
Mall LED1x6950 G649 T830 L75 LO4 LL	1414	65	60	6550	37,1	176	80+	3000	3,65
Mall LED1x8250 E989 T830 L75 LO5 LL	1414	65	60	7788	44,4	175	80+	3000	3,65
Mall LED1x9450 E990 T830 L75 LO6 LL	1414	65	60	8958	52,1	172	80+	3000	3,65
Mall LED1x8300 E991 T830 L75 LO1 LL	2829	65	60	7828	44,5	176	80+	3000	6,85
Mall LED1x10800 E992 T830 L75 LO2 LL	2829	65	60	10201	59,4	172	80+	3000	6,85
Mall LED1x13150 E993 T830 L75 LO3 LL	2829	65	60	12475	75	166	80+	3000	6,85
Mall LED1x13850 G650 T830 L75 LO4 LL	2829	65	60	13099	71,9	182	80+	3000	6,85
Mall LED1x16450 E994 T830 L75 LO5 LL	2829	65	60	15576	87,9	177	80+	3000	6,85
Mall LED1x18900 E995 T830 L75 LO6 LL	2829	65	60	17916	103	174	80+	3000	6,85
Mall LED1x3300 E963 T840 L75 LO1 LL	1133	65	60	3300	18,4	179	80+	4000	3,15
Mall LED1x4350 E964 T840 L75 LO2 LL	1133	65	60	4301	24,8	173	80+	4000	3,15
Mall LED1x5300 E965 T840 L75 LO3 LL	1133	65	60	5260	30,6	172	80+	4000	3,15
Mall LED1x5550 G648 T840 L75 LO4 LL	1133	65	60	5523	29,7	186	80+	4000	3,15
Mall LED1x6600 E966 T840 L75 LO5 LL	1133	65	60	6567	35,5	185	80+	4000	3,15
Mall LED1x7600 E967 T840 L75 LO6 LL	1133	65	60	7554	41,6	181	80+	4000	3,15
Mall LED1x4150 E986 T840 L75 LO1 LL	1414	65	60	4125	23	179	80+	4000	3,65
Mall LED1x5400 E987 T840 L75 LO2 LL	1414	65	60	5376	30,3	177	80+	4000	3,65
Mall LED1x6600 E988 T840 L75 LO3 LL	1414	65	60	6575	37,9	174	80+	4000	3,65
Mall LED1x6950 G649 T840 L75 LO4 LL	1414	65	60	6903	37,1	186	80+	4000	3,65
Mall LED1x8250 E989 T840 L75 LO5 LL	1414	65	60	8209	44,4	185	80+	4000	3,65
Mall LED1x9450 E990 T840 L75 LO6 LL	1414	65	60	9443	52,1	181	80+	4000	3,65
Mall LED1x8300 E991 T840 L75 LO1 LL	2829	65	60	8251	44,5	185	80+	4000	6,85
Mall LED1x10800 E992 T840 L75 LO2 LL	2829	65	60	10753	59,4	181	80+	4000	6,85
Mall LED1x13150 E993 T840 L75 LO3 LL	2829	65	60	13150	75	175	80+	4000	6,85
Mall LED1x13850 G650 T840 L75 LO4 LL	2829	65	60	13808	71,9	192	80+	4000	6,85
Mall LED1x16450 E994 T840 L75 LO5 LL	2829	65	60	16418	87,9	187	80+	4000	6,85
Mall LED1x18900 E995 T840 L75 LO6 LL	2829	65	60	18884	103	183	80+	4000	6,85
Mall LED1x3300 E963 T830 L75W LO1 LL	1133	65	60	3132	18,4	170	80+	3000	3,15
Mall LED1x4350 E964 T830 L75W LO2 LL	1133	65	60	4080	24,8	164	80+	3000	3,15
Mall LED1x5300 E965 T830 L75W LO3 LL	1133	65	60	4990	30,6	163	80+	3000	3,15
Mall LED1x5550 G648 T830 L75W LO4 LL	1133	65	60	5240	29,7	176	80+	3000	3,15
Mall LED1x6600 E966 T830 L75W LO5 LL	1133	65	60	6230	35,5	175	80+	3000	3,15
Mall LED1x7600 E967 T830 L75W LO6 LL	1133	65	60	7166	41,6	172	80+	3000	3,15
Mall LED1x4150 E986 T830 L75W LO1 LL	1414	65	60	3914	23	170	80+	3000	3,65
Mall LED1x5400 E987 T830 L75W LO2 LL	1414	65	60	5100	30,3	168	80+	3000	3,65
Mall LED1x6600 E988 T830 L75W LO3 LL	1414	65	60	6238	37,9	165	80+	3000	3,65
Mall LED1x6950 G649 T830 L75W LO4 LL	1414	65	60	6550	37,1	176	80+	3000	3,65
Mall LED1x8250 E989 T830 L75W LO5 LL	1414	65	60	7788	44,4	175	80+	3000	3,65
Mall LED1x9450 E990 T830 L75W LO6 LL	1414	65	60	8958	52,1	172	80+	3000	3,65
Mall LED1x8300 E991 T830 L75W LO1 LL	2829	65	60	7828	44,5	176	80+	3000	6,85
Mall LED1x10800 E992 T830 L75W LO2 LL	2829	65	60	10201	59,4	172	80+	3000	6,85
Mall LED1x13150 E993 T830 L75W LO3 LL	2829	65	60	12475	75	166	80+	3000	6,85
Mall LED1x13850 G650 T830 L75W LO4 LL	2829	65	60	13099	71,9	182	80+	3000	6,85
Mall LED1x16450 E994 T830 L75W LO5 LL	2829	65	60	15576	87,9	177	80+	3000	6,85
Mall LED1x18900 E995 T830 L75W LO6 LL	2829	65	60	17916	103	174	80+	3000	6,85
Mall LED1x3300 E963 T840 L75W LO1 LL	1133	65	60	3300	18,4	179	80+	4000	3,15
Mall LED1x4350 E964 T840 L75W LO2 LL	1133	65	60	4301	24,8	173	80+	4000	3,15
Mall LED1x5300 E965 T840 L75W LO3 LL	1133	65	60	5260	30,6	172	80+	4000	3,15
Mall LED1x5550 G648 T840 L75W LO4 LL	1133	65	60	5523	29,7	186	80+	4000	3,15
Mall LED1x6600 E966 T840 L75W LO5 LL	1133	65	60	6567	35,5	185	80+	4000	3,15
Mall LED1x7600 E967 T840 L75W LO6 LL	1133	65	60	7554	41,6	181	80+	4000	3,15
Mall LED1x4150 E986 T840 L75W LO1 LL	1414	65	60	4125	23	179	80+	4000	3,65
Mall LED1x5400 E987 T840 L75W LO2 LL	1414	65	60	5376	30,3	177	80+	4000	3,65
Mall LED1x6600 E988 T840 L75W LO3 LL	1414	65	60	6575	37,9	174	80+	4000	3,65
Mall LED1x6950 G649 T840 L75W LO4 LL	1414	65	60	6903	37,1	186	80+	4000	3,65
Mall LED1x8250 E989 T840 L75W LO5 LL	1414	65	60	8209	44,4	185	80+	4000	3,65
Mall LED1x9450 E990 T840 L75W LO6 LL	1414	65	60	9443	52,1	181	80+	4000	3,65
Mall LED1x8300 E991 T840 L75W LO1 LL	2829	65	60	8251	44,5	185	80+	4000	6,85
Mall LED1x10800 E992 T840 L75W LO2 LL	2829	65	60	10753	59,4	181	80+	4000	6,85
Mall LED1x13150 E993 T840 L75W LO3 LL	2829	65	60	13150	75	175	80+	4000	6,85
Mall LED1x13850 G650 T840 L75W LO4 LL	2829	65	60	13808	71,9	192	80+	4000	6,85
Mall LED1x16450 E994 T840 L75W LO5 LL	2829	65	60	16418	87,9	187	80+	4000	6,85
Mall LED1x18900 E995 T840 L75W LO6 LL	2829	65	60	18884	103	183	80+	4000	6,85
Mall LED1x3300 E963 T830 L90W LO1 LL	1133	65	60	3132	18,4	170	80+	3000	3,15
Mall LED1x4350 E964 T830 L90W LO2 LL	1133	65	60	4080	24,8	164	80+	3000	3,15
Mall LED1x5300 E965 T830 L90W LO3 LL	1133	65	60	4990	30,6	163	80+	3000	3,15
Mall LED1x5550 G648 T830 L90W LO4 LL	1133	65	60	5240	29,7	176	80+	3000	3,15
Mall LED1x6600 E966 T830 L90W LO5 LL	1133	65	60	6230	35,5	175	80+	3000	3,15
Mall LED1x7600 E967 T830 L90W LO6 LL	1133	65	60	7166	41,6	172	80+	3000	3,15
Mall LED1x4150 E986 T830 L90W LO1 LL	1414	65	60	3914	23	170	80+	3000	3,65
Mall LED1x5400 E987 T830 L90W LO2 LL	1414	65	60	5100	30,3	168	80+	3000	3,65
Mall LED1x6600 E988 T830 L90W LO3 LL	1414	65	60	6238	37,9	165	80+	3000	3,65
Mall LED1x6950 G649 T830 L90W LO4 LL	1414	65	60	6550	37,1	176	80+	3000	3,65
Mall LED1x8250 E989 T830 L90W LO5 LL	1414	65	60	7788	44,4	175	80+	3000	3,65
Mall LED1x9450 E990 T830 L90W LO6 LL	1414	65	60	8958	52,1	172	80+	3000	3,65
Mall LED1x8300 E991 T830 L90W LO1 LL	2829	65	60	7828	44,5	176	80+	3000	6,85

Product	Length, mm	Width, mm	Height, mm	Luminaire output, lm	System power, W	System efficacy, lm/W	CRI	CCT, K	Weight, kg
Mall LED1x8250 E989 T840 L1A18-L LO5 LL	1414	65	60	8038	44,4	181	80+	4000	3,65
Mall LED1x9450 E990 T840 L1A18-L LO6 LL	1414	65	60	9246	52,1	178	80+	4000	3,65
Mall LED1x8300 E991 T840 L1A18-L LO1 LL	2829	65	60	8079	44,5	181	80+	4000	6,85
Mall LED1x10800 E992 T840 L1A18-L LO2 LL	2829	65	60	10529	59,4	177	80+	4000	6,85
Mall LED1x13150 E993 T840 L1A18-L LO3 LL	2829	65	60	12876	75	172	80+	4000	6,85
Mall LED1x13850 G650 T840 L1A18-L LO4 LL	2829	65	60	13520	71,9	188	80+	4000	6,85
Mall LED1x16450 E994 T840 L1A18-L LO5 LL	2829	65	60	16076	87,9	183	80+	4000	6,85
Mall LED1x18900 E995 T840 L1A18-L LO6 LL	2829	65	60	18491	103	180	80+	4000	6,85
Mall LED1x3300 E963 T830 L1A18-R LO1 LL	1133	65	60	3066	18,4	167	80+	3000	3,15
Mall LED1x4350 E964 T830 L1A18-R LO2 LL	1133	65	60	3995	24,8	161	80+	3000	3,15
Mall LED1x5300 E965 T830 L1A18-R LO3 LL	1133	65	60	4886	30,6	159	80+	3000	3,15
Mall LED1x5550 G648 T830 L1A18-R LO4 LL	1133	65	60	5131	29,7	173	80+	3000	3,15
Mall LED1x6600 E966 T830 L1A18-R LO5 LL	1133	65	60	6101	35,5	172	80+	3000	3,15
Mall LED1x7600 E967 T830 L1A18-R LO6 LL	1133	65	60	7017	41,6	168	80+	3000	3,15
Mall LED1x4150 E986 T830 L1A18-R LO1 LL	1414	65	60	3832	23	167	80+	3000	3,65
Mall LED1x5400 E987 T830 L1A18-R LO2 LL	1414	65	60	4994	30,3	165	80+	3000	3,65
Mall LED1x6600 E988 T830 L1A18-R LO3 LL	1414	65	60	6108	37,9	161	80+	3000	3,65
Mall LED1x6950 G649 T830 L1A18-R LO4 LL	1414	65	60	6414	37,1	173	80+	3000	3,65
Mall LED1x8250 E989 T830 L1A18-R LO5 LL	1414	65	60	7625	44,4	172	80+	3000	3,65
Mall LED1x9450 E990 T830 L1A18-R LO6 LL	1414	65	60	8771	52,1	168	80+	3000	3,65
Mall LED1x8300 E991 T830 L1A18-R LO1 LL	2829	65	60	7665	44,5	172	80+	3000	6,85
Mall LED1x10800 E992 T830 L1A18-R LO2 LL	2829	65	60	9988	59,4	168	80+	3000	6,85
Mall LED1x13150 E993 T830 L1A18-R LO3 LL	2829	65	60	12215	75	163	80+	3000	6,85
Mall LED1x13850 G650 T830 L1A18-R LO4 LL	2829	65	60	12826	71,9	178	80+	3000	6,85
Mall LED1x16450 E994 T830 L1A18-R LO5 LL	2829	65	60	15252	87,9	173	80+	3000	6,85
Mall LED1x18900 E995 T830 L1A18-R LO6 LL	2829	65	60	17543	103	170	80+	3000	6,85
Mall LED1x3300 E963 T840 L1A18-R LO1 LL	1133	65	60	3232	18,4	176	80+	4000	3,15
Mall LED1x4350 E964 T840 L1A18-R LO2 LL	1133	65	60	4211	24,8	170	80+	4000	3,15
Mall LED1x5300 E965 T840 L1A18-R LO3 LL	1133	65	60	5150	30,6	168	80+	4000	3,15
Mall LED1x5550 G648 T840 L1A18-R LO4 LL	1133	65	60	5408	29,7	182	80+	4000	3,15
Mall LED1x6600 E966 T840 L1A18-R LO5 LL	1133	65	60	6431	35,5	181	80+	4000	3,15
Mall LED1x7600 E967 T840 L1A18-R LO6 LL	1133	65	60	7397	41,6	178	80+	4000	3,15
Mall LED1x4150 E986 T840 L1A18-R LO1 LL	1414	65	60	4039	23	175	80+	4000	3,65
Mall LED1x5400 E987 T840 L1A18-R LO2 LL	1414	65	60	5264	30,3	173	80+	4000	3,65
Mall LED1x6600 E988 T840 L1A18-R LO3 LL	1414	65	60	6438	37,9	170	80+	4000	3,65
Mall LED1x6950 G649 T840 L1A18-R LO4 LL	1414	65	60	6760	37,1	182	80+	4000	3,65
Mall LED1x8250 E989 T840 L1A18-R LO5 LL	1414	65	60	8038	44,4	181	80+	4000	3,65
Mall LED1x9450 E990 T840 L1A18-R LO6 LL	1414	65	60	9246	52,1	178	80+	4000	3,65
Mall LED1x8300 E991 T840 L1A18-R LO1 LL	2829	65	60	8079	44,5	181	80+	4000	6,85
Mall LED1x10800 E992 T840 L1A18-R LO2 LL	2829	65	60	10529	59,4	177	80+	4000	6,85
Mall LED1x13150 E993 T840 L1A18-R LO3 LL	2829	65	60	12876	75	172	80+	4000	6,85
Mall LED1x13850 G650 T840 L1A18-R LO4 LL	2829	65	60	13520	71,9	188	80+	4000	6,85
Mall LED1x16450 E994 T840 L1A18-R LO5 LL	2829	65	60	16076	87,9	183	80+	4000	6,85
Mall LED1x18900 E995 T840 L1A18-R LO6 LL	2829	65	60	18491	103	180	80+	4000	6,85

*note - for versions: LO1, LO2, LO3 - only every second LED lights up






*Tolerance range for optical and electrical data: ±10%. Values apply to an ambient temperature of 25°C. NORTHCLIFFE LIGHTING is constantly developing and improving its products. The right is reserved to change any product specifications without prior notification

Available options:

T830 Colour temperature 3000K, CRI 80+
 T840 Colour temperature 4000K, CRI 80+
 T930 Colour temperature 3000K, CRI 90+
 T940 Colour temperature 4000K, CRI 90+
 L30 Optics with 30 beam angle
 L40x75 Optics with 40x75 beam angle
 L75 Optics with 75 beam angle
 L75W Optics with 75 beam angle, wide
 L90W Optics with 90 beam angle, wide
 L1A18-L Optics with asymmetric beam, light direction - left
 L1A18-R Optics with asymmetric beam, light direction - right
 *note - please, specify direction for L1A18 optics
 L2A25 Optics with double asymmetric beam
 LO1...6 Light output level 1 to 6

DALI Driver with DALI interface and switch-control dimming
 EM3 Emergency version 3 hours
 EM3B Emergency version 3 hours (best available technology)
 EM3A Emergency version equipped with an autonomous testing system, 3 hours
 EM3D Emergency version 3 hours with DALI interface
 *note - For EM option power supply L3 phase is used.
 *note - Operating temperature range for Luminaires with EM option, C: ta 0...+35
 RAL RAL colour

Available accessories:

 <p>Product: Suspension MTG KIT SUSI Description: Suspension wire set "I" type, 1.5m adjustable, 1pcs *note - 2pcs MTG SUSI KIT for length up to 2000mm, 3pcs MTG SUSI KIT for lengths 2000 - 3000mm</p>	 <p>Product: Power supply socket - Mall LED Description: 7-pole socket for power supply, 1pcs *note - please use power supply socket for first in-line luminaire connection to power source</p>
<p>Product: BLANK track Mall LED L1133mm RAL9003 Description: Cover with integrated euro standard plus track for Trunking Mall LED, 1 pcs</p>	<p>Product: BLANK Mall LED L1133mm RAL9003 Description: Blank cover for Trunking Mall LED, 1pcs</p>
 <p>Product: BLANK track Mall LED L1414mm RAL9003 Description: Cover with integrated euro standard plus track for Trunking Mall LED, 1 pcs</p>	 <p>Product: BLANK Mall LED L1414mm RAL9003 Description: Blank cover for Trunking Mall LED, 1pcs</p>
<p>Product: BLANK track Mall LED L2829mm RAL9 Description: Cover with integrated euro standard plus track for Trunking Mall LED, 1 pcs</p>	<p>Product: BLANK Mall LED L2829mm RAL9003 Description: Blank cover for Trunking Mall LED, 1pcs</p>
 <p>Product: END CAP- Mall LED RAL9003 Description: End cap kit for Mall LED luminaires, 1pcs *note - use end caps for first and last in-line luminaires</p>	